


ASHKEN CENTER PHYSICIAN & PATIENT MEDICATION INFORMATION FORM			
SCHOOL NAME: _____			
STUDENT NAME: _____	DATE OF BIRTH: _____		
PHYSICIAN NAME: _____			
PHYSICIAN INFORMATION			
The following data are the accurate medication list as provided by the Ashken Center. The physician will be responsible to monitor the patient's medications by age and weight. Alcohol-free, KID only – This medication is for children and adolescents. Medications, supplements, vitamins, or liquid oral agents can be administered without physician or parent's signature in accordance with New York State Education Law Title 136, Section 60(2).			
PRESCRIPTIONS: Please indicate approval for administration by checking yes or no in the space indicated.			
Prescriptions	Route	Dosage	Time and indications
Albuterol Inhaler (Asthma)	By mouth (inhaler) (Sublingual)	By age and weight (age 2-5 years)	As needed for wheezing
Albuterol Inhaler (Asthma)	By mouth (inhaler) (Sublingual)	By age and weight (age 6-11 years)	As needed for wheezing
Albuterol Inhaler (Asthma)	By mouth (inhaler) (Sublingual)	By age and weight (age 12-17 years)	As needed for wheezing
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (400 mg)	As needed for infection
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (1600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (3200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (4800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (6400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (8000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (9600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (11200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (12800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (14400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (16000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (17600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (19200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (20800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (22400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (24000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (25600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (27200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (28800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (30400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (32000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (33600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (35200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (36800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (38400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (40000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (41600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (43200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (44800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (46400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (48000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (49600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (51200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (52800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (54400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (56000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (57600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (59200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (60800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (62400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (64000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (65600 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (67200 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (68800 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (70400 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (72000 mg)	Every 2 hours (PRN) (as needed)
Amoxicillin (Antibiotic)	By mouth (inhaler) (Sublingual)	By latest oral instructions (73600 mg)	Every 2 hours (PRN) (as needed)

Please make sure the form has both the parent/guardian signature and the signature/stamp of the physician/prescriber.



All prescribed medication MUST be in a properly labeled pharmacy container specific to the listed medication and that student only. A parent may request an extra labeled medication container from their pharmacy in order to legally transport and safely administer medication during their child's stay at the Ashokan Center.

- Please provide only enough medication for the trip, plus one extra dose.
- All over-the-counter medications (OTC's) must be unopened, not expired, and in their original container. Sealed blister packaging is acceptable.

Any medications arriving without valid orders and/or improperly packaged, ie- ziplock bags, non-pharmacy issued containers or pharmacy containers containing medications other than what is listed on the label will be refused and returned to the school representatives attending the trip.

If you have any questions regarding medication administration or need to speak with a member of our Ashokan Center Medical Team, please email nurse@ashokancenter.org

or

call (845) 657-8333

Ext 21



PHYSICIAN & PARENT MEDICATION PERMISSION FORM

SCHOOL NAME: _____

STUDENT NAME: _____ DATE OF BIRTH: _____

PHYSICIAN NAME: _____ PHONE NUMBER: _____

The following over-the-counter medications are available at The Ashokan Center, and can be administered as needed per label instructions by age and weight. **Absolutely, NO** over-the-counter or prescription medications, supplements, vitamins, or topical ointments can be administered without a physician **and** parent's signature in accordance with **New York State Education Law, Title 139, Section 6902.**

PROVIDER: Please, indicate approval for administration by circling yes or no in the space indicated.

Medications	Route	Dosage	Time and Indications	May be Administered	
Children's Tylenol (Acetaminophen)	By mouth (elixir or tablets)	Per label instructions By age and weight	Every 4-6 hours PRN pain or fever > _____°F	Yes	No
Children's Motrin (Ibuprofen)	By mouth (elixir, suspension or tablets)	Per label instructions By age and weight	Every 6-8 hours PRN pain or fever > _____°F	Yes	No
Benadryl (Diphenhydramine)	By mouth (elixir, tablets or capsules) Apply topically	Per label instructions By age and weight	Every 6 hours PRN allergies, or insect bites	Yes	No
Claritin (Loratadine)	By mouth (elixir, suspension, or tablets)	Per label instructions By age and weight	Once Daily, PRN for seasonal allergies	Yes	No
Tums (Calcium Carbonate)	By mouth (tablets)	840 mg	Every 2 hours PRN acid indigestion	Yes	No
Bacitracin Ointment	Apply topically	Bacitracin Zinc 500 U	Apply 1--3x Daily PRN minor cuts	Yes	No
Antibacterial Ointment	Apply topically	Per label instructions By age and weight	Apply 1--3x Daily PRN minor cuts	Yes	No
Hydrocortisone Cream 1%	Apply topically	Hydrocortisone 1%	Apply 3--4x Daily PRN skin irritation	Yes	No
Calamine Lotion	Apply topically	Per label instructions	As needed PRN itching	Yes	No

PROVIDER: Please document below current medication regimen including scheduled & PRN medications.

MEDICATION	ROUTE	DOSAGE	TIME	COMMENTS

Physician/ Provider Signature: _____ Date _____ License # _____

Parent/Guardian Signature: _____ Date _____

OFFICE STAMP



ASHOKAN CENTER MEDICATION REQUIREMENTS

****BOTH PARENT AND PHYSICIAN SIGNATURES ARE REQUIRED OR FORM IS INVALID****

The following requirements must be met in order for the Ashokan Center to legally administer **any** medications including over-the-counter (OTC) ; consistent with the **NYS Department of Education law 6902**

- A valid medication authorization form.
- **A parent/guardian and physician signatures.**
- Medications properly packaged.
- *These are explained in more detail below :*

A valid medication authorization form- An order from the prescriber is required for **both prescription and non-prescription medications.**

The provider order **must** include the following information:

- Date order is written.
- Student name and date of birth
- Medication name.
- Medication dosage.
- Medication route.
- Time and frequency the medication is to be administered
- The conditions under which the medication is to be administered if applicable.
- The provider's name, title, and signature.
- Provider's telephone number and address.
- **Provider's Office stamp.** A provider order must be in its original, unaltered form. Orders containing any edits render the order invalid.
- A provider order is typically valid for 12 months from the date of its issuance unless the provider changes the order, writes the order for a shorter period of time, or discontinues the order. Medications will be administered per the physician's written orders only.

Medications properly packaged:

- All prescribed medication **MUST be in a properly labeled pharmacy container only.** A parent may request an extra labeled medication container from their pharmacy in order to legally transport and safely administer medication during their child's stay at Ashokan.
- Please provide only enough medication for the trip, plus one extra dose.
- All OTC medications must be unopened and in their original container. Sealed blister packaging is acceptable.

Any medications arriving without valid orders and/or improperly packaged will be refused and returned to school staff attending the trip.